

**IMPORTANT INFORMATION ABOUT YOUR DRINKING WATER**  
**Las Vegas (City Of) Failed to Submit Corrective Action**  
**Within Required Time Frame.**

*Este informe contiene información importante acerca de su agua potable. Haga que alguien lo traduzca para usted, o hable con alguien que lo entienda*

Our water system recently violated a drinking water requirement. Although this incident was not an emergency, as our customers, you have a right to know what happened and what we did (are doing) to correct this situation.

An inspection conducted on October 23, 2014 by the New Mexico Environment Department-Drinking Water Bureau (NMED-DWB) found three (3) significant deficiencies as follows:

1. (004H) Air Relief Valve subject to flooding at Storage Tank #3
2. (001E) Poor Housekeeping of Montezuma Filter Plant Clearwell.
3. (004W) Turbidimeter Drain Lines Lack Screens

We were required to submit a Corrective Action Plan within 45 days of the date of the Sanitary Survey Report specified how and when the significant deficiencies would be corrected. We never submitted the Corrective Action Plan.

**What should I do?**

- There is no need to take additional corrective actions.
- You are not at an increased risk to your health because of these deficiencies.

**What does this mean?**

This is not an emergency. If it had been, you would have been notified within 24 hours. This violation results from the City not meeting the administrative correspondence deadline.

**What is being done?**

All of the deficiencies cited in the sanitary inspection were addressed and corrected in 2014. This was verified in the 2017 sanitary inspection. This notification represents administrative closure of the violation. The violation will be reported in the 2017 Consumer Confidence Report.

**For more information, please contact:**

Maria Gilvarry at 505-426-3314  
Las Vegas (City Of), NM3518025  
905 12th Street  
Las Vegas, NM 87701

*\*Please share this information with all the other people who drink this water, especially those who may not have received this notice directly (for example, people in apartments, nursing homes, schools, and businesses). You can do this by posting this notice in a public place or distributing copies by hand or mail.\**